

μ

7

Mail Server. Mail
 SMTP Server (Postfix)
 IMAP Server (courier-imap) POP3
 email .
 Ubuntu Linux
 Mail Server (postfix,
 courier-imap, courier-pop).

- μ :

1. Postfix SMTP Server
 2. configuration postfix:
 - :
 - 2.1. ostname
 - 2.2. What domain name to use in outbound mail
 - 2.3. What domains to receive mail for
 - 2.4. What clients to relay mail from
 - 2.5. What trouble to report to the postmaster
 - 2.6. My own network addresses
 - 2.7. Mailbox size
 3. configuration aliases,
postmaster.
 4. μ fmaster
 5. telnet postfix server. μ
fmaster μ μ (email) μ μ «First attempt to
send email from postfix»

6.		fmaster	μ μ μ	
	μ mail.			
7.		configuration	postfix	
	μ μ Maildirs.			postfix.
8.	IMAP	POP3 Servers		
9.		configuration	IMAP,	:
9.1.			IP	
9.2. N		143		μ
	IMAP			
10.		configuration	POP3,	:
10.1.	μ		192.168	
10.2.		110		μ
	POP3			
11.		Servers imap pop3		
12.	telnet	postfix server.	μ	
	fmaster	μ μ (email) μ	μ	«Second attempt
				to send email from postfix»
13.	telnet	imap server.	μ μ μ	
		fmaster,		.
	header	μ	μ μ	
14.	telnet	pop server.	μ μ μ .	μ
	fmaster			
	μ μ μ .			
15.	μ	Mail Client		
15.1.		Thunderbird Mail Client		
15.2.	μ		μ (accounts)	
			μ (fmaster,	
	cnmsuser)	postfix.		
15.3.	μ	μ μ	μ	

μ μ :

1. <https://help.ubuntu.com/community/Postfix>
2. <https://help.ubuntu.com/community/Courier>
3. <http://www.postfix.org/documentation.html>

:

μ	μ	μ
μ		Mail Server.