

**μ**

6

- μ :  
μ μ μ      Apache 2.  
Linux      Ubuntu      Linux      Apache Server.  
μ - μ :  
1. μ . Virtual Host  
μ μ μ μ “Hello from  
<http://cnms1.com> first domain of Cnms Lab”.  
/home/<username>/public\_html/cnms1.com/public.  
2. μ . Virtual Host  
μ μ μ .  
μ μ “Hello from second domain of Cnms Lab”  
3. μ browser .  
4. μ .htaccess μ  
μ μ login/password ( μ test/test)  
5. backup configuration (apache2.conf)  
6. configuration apache  
6.1. persistent

6.2.	$\mu$	$\mu$	Server	$\mu$	$\mu$
		$\mu$	persisten		25
			sec.		
6.3.	$\mu$	Server		mylab.cnms.uop.gr	
6.4.	Server			worker mode,	$\mu$
		30%			fork
		mode,	$\mu$	60%	Servers
		form mode.			$\mu$
6.5.		SSL			450
7.		$\mu$	configuration		(restore
	backup)				
8.	$\mu$		.htaccess		$\mu$
			.	:	
8.1.		username / password.			: tester,
		admin			
8.2.	$\mu$				: htaccess, htpasswd,
	ini, phps sh.				
8.3.	directory mycode				CGI
	indexing.				
8.4.	directory mycode	$\mu$			directives
		$\mu$		.	
8.5.		$\mu$		$\mu$ ,	
	192.10	crawler	google (googlebot.com)		

- $\mu$        $\mu$  :
1. <http://httpd.apache.org/docs/2.0/>
  2. <http://httpd.apache.org/docs/2.0/howto/htaccess.html>
  3. <http://www.debian-administration.org/articles/207>

:

$\mu$	$\mu$	$\mu$
$\mu$	Apache.	$\mu$